

Imagerotator

Extension Key: **maag_imagerotator**

Copyright 2004-2006, Urs Maag, <urs@maag-matzingen.ch>

This document is published under the Open Content License
available from <http://www.opencontent.org/opl.shtml>

The content of this document is related to TYPO3
- a GNU/GPL CMS/Framework available from www.typo3.com

Table of Contents

Imagerotator	1	FAQ.....	3
Introduction	1	Configuration	3
What does it do?.....	1	General.....	3
Requirements.....	1	TypoScript Reference.....	3
Languages.....	1	TypoScript Setup.....	4
Screenshots.....	2	To-Do list	4
Labels and localization.....	3	Nothing to do yet	4
Users manual	3	Changelog	5

Introduction

What does it do?

The Imagerotator plugin is a Frontend Plugin to show an number of images with the flash plugin jw player.

Requirements

This extension requires TYPO3 4.0.0+.

Languages


The extension is currently available in GB English (default) and German. Feel free to add your languages yourself.

Screenshots

Show Imagerotator on your web page:



Make the configuration over flexform in the plugin:



The screenshot shows the configuration interface for the 'Maag Imagerotator' plugin. The interface has three tabs: 'General', 'Plugin', and 'Access'. The 'Plugin' tab is selected. Under the 'Plugin:' section, the 'Maag Imagerotator' plugin is selected. Under the 'Plugin Options:' section, there are three sub-tabs: 'General', 'Layout', and 'Functionality'. The 'General' sub-tab is selected. The configuration options are as follows:


- Path: fileadmin/user_upload/randomimages/
- Recursive:
- Id: imagerotator
- Do not cache the fetched content:

Labels and localization

You may adapt the labels in `locallang_db.php` to to your needs and languages.

Users manual

First, the extension must be installed. After the extension is installed, you can insert the plugin over the Plugin-Section. Choose the Plugin “Maag Imagerotator”.



Configure the plugin over flexform. See the description of properties in the Configuration section.

FAQ

No FAQ's yet.

Configuration

General

TypoScript Reference

Please note that the following properties TS template setup.

Property:	Data type:	Description:	Default:
path	string	Path to the images	fileadmin/
recursive	string	Loop path recursive (for using with subfolders)?	
id	string	Id of plugin	imagerotator
noCache	bool	Dont cache the content	
width	int	Width in Pixel	480
height	int	Height in Pixel	320
class	string	Style class	
style	string	CSS Style	
wmode	string	Wmode of player, available values are: - window - opaque - transparent	opaque
shownavigation	bool	Show Navigation bar in the player?	false
overstretch	bool	Stretch the images to fill out the hole player?	true
rotatetime	Int	Time of change to the next image in seconds	10
transition	string	Transition of images, available values are: - random - fade - bgfade - blocks - bubbles - circles - flash - fluids - lines - slowfade	

TypoScript Setup

When installing this extension, you should use the following setting (example):

```
temp =< plugin.tx_maagimagerotator_pi1 {
  path = fileadmin/pict
  recursive = 0
  id = imagerotator
  noCache = 0
  width = 480
  height = 320
  class =
  style =
  wmode = opaque
  shownavigation = false
  overstretch = true
  rotatetime = 10
  transition = random
}
```

To-Do list

Nothing to do yet.

Changelog

Version 1.0.0:

- Initial version.

Version 1.0.1

- Embed the player with javascript functions for better browser compatibility and downloading flash player

Version 1.0.3

- add transition property